



legacy xml dom migrate

1990

- 2

**Scholar Results 1 - 10** of about **49** for **legacy xml dom migrate**. (0.29 second

Toward the interoperable software design models: quartet of UML, XML, DOM and CORBA - group of 8 »

**All articles** Recent articles

J Suzuki, Y Yamamoto - Software Engineering Standards, 1999. Proceedings. Fourth ..., 1999 - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

... also easily **migrate** from existing **legacy** systems. Our system employs a defacto standard

named "Simple API for XML" (SAX) [28] for a backend of the **DOM** interface ...

Cited by 19 - Web Search

**[PS]** Building Light-Weight Wrappers for Legacy Web Data-Sources Using W4F - group of 3 »

A Sahuguet, F Azavant - Proc. of VLDB, 1999 - [db.cis.upenn.edu](http://db.cis.upenn.edu)

... approach for extraction but rely on the **DOM** object-model ... dious tasks, help interface

huge **legacy** HTML data, and make ... WIDL: Application Integration with XML. ...

Cited by 123 - View as HTML - Web Search - BL Direct

Migrating and Specifying Services for Web Integration - group of 6 »

Y Zou, K Kontogiannis - ... Distributed Objects, Second International Workshop, EDO ..., 1999 - Springer

... To **migrate** the standalone identified components into a ... been implemented using the

**XML DOM** (Document Object ... independently or migrated from **legacy** systems, to be ...

Cited by 2 - Web Search

Web-based specification and integration of legacy services - group of 2 »

Y Zou, K Kontogiannis - Proceedings of the 2000 conference of the Centre for ..., 2000 - [portal.acm.org](http://portal.acm.org)

... the "time-to-market" in **migrating** components from ... has been

implemented using the  
**XML DOM** (Document Object Model ... has been extracted from a **legacy**  
system, or ...

Cited by 3 - Web Search

JavaML: a markup language for Java source code - group of 12 »

GJ Badros - WWW9 / Computer Networks, 2000 -

bauhaus.cs.washington.edu

... Perl **XML::DOM** module. <http://users.erols.com/enno/dom>. ...

<http://msdn.microsoft.com/>

**xml**/notepad. ... Intentional programming - innovation in the **legacy** age. ...

Cited by 104 - Cached - Web Search

Inter-Enterprise Information Management in Dynamic Virtual Environments:  
The OSMOS Approach - group of 2 »

Y Rezgui, A Zarli, M Bourdeau, G Cooper - Proceedings of CIT2000–The  
CIB-W78, IABSE, EGSEA-AI ..., 2000 - [cic.cstb.fr](http://cic.cstb.fr)

... of flexibility, scalability (ability to upgrade a system ... These **legacy**,  
proprietary

and commercial applications widely ... 1999] services, the (**XML**) **DOM**  
object API ...

Cited by 3 - View as HTML - Web Search

Looking at the Web through **XML** glasses - group of 7 »

A Sahuguet, F Azavant - Cooperative Information Systems, 1999. CoopIS'99.

..., 1999 - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

... HTML wrappers can smoothly perform data migration from these **legacy**  
information sources ...

to define a mapping to **XML** and how ... HEL is a **DOM**-centric [23]  
language where ...

Cited by 39 - Web Search

**XML** dataspace for mobile agent coordination - group of 16 »

G Cabri, L Leonardi, F Zambonelli - Proceedings of the 2000 ACM  
symposium on Applied computing, 2000 - [portal.acm.org](http://portal.acm.org)

... **Legacy** I Information databases level ... in a domain, they can access the  
**XML** dataspace

transparently from ... the current architecture forces an agent to **migrate** to  
a ...

Cited by 32 - Web Search

Building XML Parsers for Microsoft's IE4 - group of 4 »

J Paoli, D Schach, C Lovett, A Layman, I Cseri - World Wide Web Journal, 1997 - oasis-open.org

... and consistent with the Document Object Model (**DOM**) Working Group ...  
easy for programs

that want to use **XML** but still need to process **legacy** data structures. ...

Cited by 7 - Cached - Web Search

White Paper on Global XML Repositories for XML/EDI

B Harvey, D Hill, R Schuldt, M Bryan, D Raman, G ... - Online im Internet:  
<http://www.xmledi.com/repository/> ..., 1999 - exedi.com

... that can be used to tie such **legacy** systems together ... 3. **XML** parser stores  
the **XML**

that results from the ... message and the DTD using the W3C **DOM**

(Document Object ...

Cited by 1 - View as HTML - Web Search

Goooooogle ►

Result Page: 1 2 3 4 5 Next

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google